

The benefits of automation in agriculture

CC-Link IE networking helps biomass plant automation at a different kind of dairy farm

A number of alternative, non-traditional market opportunities can help dairy farms to add value to their by-products, maximize revenue and improve sustainability. This is why Italian farm Roana has invested in a biomass plant that utilizes livestock manure and other organic waste to generate energy.

To optimize its automation infrastructure, the farm required an advanced control network to monitor the anaerobic digestion process and maximize productivity. CC-Link IE Field provided the right solution, connecting a series of Mitsubishi Electric factory automation components with a flexible open industrial Ethernet solution delivering Gigabit bandwidth.

The U.S dairy industry is the largest in the world, with a herd of 9.3 million animals and over 100 million tons of milk produced in 2019. Businesses in this sector can see new doors being opened, as the appetite for green energy grows. In particular, farms can utilize their livestock manure, to produce electricity to run their facilities as well as supply it to local communities, increasing profit.

A clear example of how dairy farms can benefit by getting a foothold in the biomass market is provided by Roana Zootechnical farm. This is in the countryside of Latina, Italy, and is home to approximately 1100 water buffalos. Every day, these animals provide over 3 tons of milk, which is used to produce a celebrated buffalo mozzarella cheese. Along with product, the herd produces approximately 60 m³ per day of useable livestock manure. Before this becomes fertilizer for Roana's agricultural fields, however, it can be used to produce bioenergy. The farm was interested in maximizing the use of this by-product to have a positive impact on the environment whilst generating increased revenue for the business. Local renewable energy specialist ProgestAmbiente was chosen to build the green power plant.

Carmen lemma, Co-owner of Roana, explains: "Roana has been interested in implementing a biomass plant for years. The project suggested by ProgestAmbiente was particularly appealing, as the company was able to tailor a solution that would address our commercial requirements and still fit with our existing operations and infrastructure."

The anatomy of Roana's biomass power plant

The plant consists of scrapers and pipelines, collecting all the manure from the stables into a pre-treatment tank, which homogenizes and equalizes the material. This tank is connected to an anaerobic digester system equipped with submersible mixers. At this stage, different bacterial strains digest biomass in an oxygen-free environment at temperatures similar to those in a buffalo's stomach. As a result of this biochemical

process, bacteria break down complex organic substances, generating a methane-rich biogas.

The gas produced in the digester moves upwards, towards the dome, and is then directed to a gas treatment unit, where a thermal process helps to purify the gas, increasing the concentration of methane. The end product is sent to a gas-powered generator, which produces enough electricity push power back to the grid.

The control of critical process parameters, such as temperature, gas pressure, in-feed rates and mixing within the digester, plays a crucial role in maximizing both the volume of methane produced and its purity. The sensitivity of the system and its coordination can make the difference between it being profitable or not, so responsive automation and network communications are vital to the commercial success of the project.

Relying on high-quality automation solutions

Michele Di Stefano, Project Manager at ProgestAmbiente, adds: “One of the most important aspects for ProgestAmbiente is offering the best functional process equipment and operator tools, featuring state-of-the-art technologies and high reliability. In this case, we chose a combination of Mitsubishi Electric and CC-Link IE.

“We rely on Mitsubishi Electric’s automation products and the CC-Link IE family of open industrial Ethernet technologies for our biogas production and water treatment projects. In fact, we believe that the performance offered by these solutions is currently unmatched on the market.”

To support Roana’s biogas operations, CC-Link IE Field gigabit Ethernet connects a number of automation devices from Mitsubishi Electric to ensure high-performance communications. More precisely, MAPS SCADA system is linked to a MELSEC Q series PLC. This is then connected to five inverters, from Mitsubishi Electric’s energy-saving FR-F800 series, that regulate the functioning of all the electromechanical devices and components used in the process. As a result, operators have a comprehensive view of the entire plant and its processes in real-time, adjusting critical process parameters as well as conducting predictive maintenance strategies.

Alberto Griffini, Product Manager at Mitsubishi Electric, comments: “Our main goal was delivering a system that is highly functional but also easy to use, maintain and expand. For example, as the plant develops and increases its volume of processed livestock manure, Roana could easily upgrade its system by installing a newer MELSEC iQ-R controller, which provides more advanced onboard features and supports a broader range of I/O modules. The networking solution is already very flexible and advanced so effectively futureproofs the installation.”

Network speed and openness as gateway to future-proof operations

Key elements of CC-Link IE Field that helped implement the vision described by Alberto Griffini are the network technology’s gigabit bandwidth and its openness.

Michele Di Stefano explains: “Thanks to CC-Link IE Field, Roana could leverage a high-speed system that benefited from a fast response time as well as an infrastructure that can be easily modified and upgraded to address future needs.”

John Browett, General Manager at CLPA, adds: “By offering gigabit bandwidth, we can help processing plants, such as Roana, to make sure time-critical data is shared in a highly deterministic manner. CC-Link IE Field supports interconnectivity between 1Gbit devices from multiple vendors so allows the integrator to choose from more options.”

Carmen lemma adds: “Using a reliable and responsive monitoring system and high-performance communications is particularly important for Roana, as it allows us to promptly intervene if anomalies are detected, reducing downtime.”

The benefits of a well designed and implemented by-product synergy strategy

Now that the biomass power plant and its network infrastructure are operational, Roana can produce 2,400 kWh of electric energy every day. This is supplied to the national electrical grid, generating an extra revenue of over 16,000 USD (EUR 15,000) per month for Roana.

Carmen lemma comments: “We are very happy with the solution provided, as it clearly shows the benefits of shifting towards renewable energy and maximizing by-product synergies. In particular, we appreciate the fact that the plant can manage itself autonomously, without requiring our staff to acquire new technical skills in order to control the plant. The system is intuitive and easy to use, helping all of our operators to effectively use the system.”

John Browett concludes: “Reducing the environmental impact of manufacturing and processing activities is a global priority and we are happy to play a key role, helping businesses adopt more sustainable practices. In addition, by supporting Roana, we can show how our open network technologies can address the needs of a wide variety of industrial sectors.”

- ENDS -

CLPA341 Roana case study

Image Captions:

Image 1: Roana Zootechnical farm is located in the countryside of Latina, Italy.

Images 2-4: Roana has invested in a biomass plant that utilises livestock manure and other organic waste to generate energy. Now that the biomass power plant and its network infrastructure are operational, Roana can produce 2,400 kWh of electric energy every day.

CLPAUS022

Image 5: Using the MAPS SCADA system, operators at the Roana Zootechnical farm can monitor and control the entire biomass power plant to maintain optimal operating conditions and maximise the amount of energy generated from agricultural waste.

Keywords: CC-Link IE, Roana, biomass plant, automation, agricultural

About The CC-Link Partner Association (CLPA)

The CLPA is an international organisation founded in 2000, now celebrating its 20th Anniversary. Over the last 20 years, the CLPA has been dedicated to the technical development and promotion of the CC-Link family of open automation networks. The CLPA's key technology is CC-Link IE TSN, the world's first open industrial Ethernet to combine gigabit bandwidth with Time Sensitive Networking (TSN), making it the leading solution for Industry 4.0 applications. Currently the CLPA has almost 3,800 member companies worldwide, and more than 2,000 compatible products available from over 340 manufacturers. Around 30 million devices using CLPA technology are in use worldwide.

The image(s) distributed with this press release may only be used to accompany this copy, and are subject to copyright. Please contact DMA Europa if you wish to license the image for further use.

Further Information:

Website: am.cc-link.org/en

LinkedIn: <https://www.linkedin.com/company/clpa-americas>

Twitter: https://twitter.com/CC_LinkNews

YouTube: <https://www.youtube.com/c/cclinkpartnerassociation>

Editorial contact: DMA Europa Ltd. : Anne-Marie Howe

Tel: +44 (0)1562 751436 Fax: +44 (0)1562 748315

Web: www.dmaeuropa.com

Email: anne-marie@dmaeuropa.com

Address: Europa Building, Arthur Drive, Hoo Farm Industrial Estate,
Kidderminster, Worcestershire, DY11 7RA, UK

Reader contact: CC-Link Partner Association : Thomas Burke

Tel: (847) 478-2100 Fax:

Web: am.cc-link.org/en/

Email: Tom.Burke@cclinkamerica.org

Address: 500 Corporate Woods Parkway, Vernon Hills, IL - 60061